



LED SPORTS LIGHT

400W-720W

140lm/W





Power range from 400W to 720W.

Features

BETTER DESIGN

New LED modules produce 140 Lumens per watt - Save even more by using a lower watt unit and still getting the light you need. Focus on your lumen needs, not on watts.


BRIGHT LIGHT

500 Watt LED puts out 70,000 Lumens and is designed to replace a 1500 watt Metal halide sports light. 5000K light color ensures a bright clear light. DIMMABLE & INSTALLA-TION OPTIONS Unit is 1-10V Dimmable. Light can be dimmed to ideal brightness levels to save energy and get the light levels for your area. Bracket(optional)that can be adjusted all the way forward and back.

BUILT TO LAST

1,000 plus LEDs save having to replace bulbs. Aluminum housing with high tech heat sink. Better heat dissipation ensures longer LED life and safety. IP66 Waterproof for all weather conditions.

APPLICATION – This LED area light only uses premium grade LED components. High strength housing make this an industrial grade LED parking lot lights or sports light. Light can also be used on a building, for sports fields, roadways or any other use. Highly versatile light.







Product features

- Wattage: 400-720W
- Intelligent control: DALI-DMX512(RGB Optional)
- Beam Angle: 15/30/45/60 Degree
- Power Supply: SOSEN
- Input Voltage: 100-277/277-480VAC
- CCT(Color Temperature): 3000-6500K



CE/ROHS/ETL/DLC 5.1

Application scenarios

- Outdoor large sports arenas.
- Exhibition hall.
- Outdoor football fields.
- Sports center.
- Stadium.
- Logistics center.
- Shipyards.





ANTI-RUST TECHNOLOGY

Made of high-quality steel. The surface adopts galvanizing and high temperature resistant spray coating technology, which can effectively prevent rust.

The heat dissipation effect is up to 2.3 times than ADC12 cast aluminum.



LASER AIMING DEVICES (OPTIONAL)

The Laser Aiming Device gives you precision control in angling and aiming each sport light to its exact optimal position.

RADIATOR MATERIAL



Using 1070 pure aluminum forging, and made by one-piece technology.

BRACKET

Common U-shaped brackets are used to make installation faster and more convenient.



Better heat maintenance, easier installation, convenient for maintenance and replacement.





LENS

Using high-quality optical materials, equipped with multiple light distribution angle



COOLING HOLE DESIGN

LONGER AC LINE Can connect 2m of AC line.

The product adopts modern technology's FF dynamic car logo shape, which is more technological and has better heat dissipation effect.





ROTATING SCALE

Utsing laser technology type scale to make the angle more precise

LED SPORTS LIGHT

YB-SP-J1400W/450W/500W UXYZ

Specifications

Electrical Data

Wattage
Efficiency
Luminous Flux
Input Voltage
Power Frequency
Power Efficiency
Power Factor
Total Harmonic Distortion

400W/450W/500W 140lm/W 56,000lm/63,000lm/70,000lm AC100-277V/AC277-480V 50/60Hz >93% 0.95 <15%





Optical Data

Lumen Version


Power Supply CCT CRI


System Efficiency Beam Angle EPA

SOSEN 2700K-6500K Ra70 / RA80(Optional) / RA90(Optional) >90% 15°/30°/45°/60° 0.45Ft²

Others

Lifetime IP Rating Lens Material Control Method Heat Radiator Net Weight Gross Weight Fixture Dimension Carton Dimension 50000hours IP66 PC 1-10V Light Control, Intelligence Cold forging aluminum 14kg 16kg Ø360mm/14.17in L557*W433*H367mm Ø 360mm





LED SPORTS LIGHT

YB-SP-J2600W/720W UXYZ

Specifications

Electrical Data

Wattage
Efficiency
Luminous Flux
Input Voltage
Power Frequency
Power Efficiency
Power Factor
Total Harmonic Distortion

600W/720W 140lm/W 84,000lm/100,800lm AC100-277V/AC277-480V 50/60Hz >93% 0.95 <15%





Ø 462mm

Optical Data

Lumen Version


Power Supply CCT CRI


System Efficiency Beam Angle EPA

Meanwell / SOSEN 2700K-6500K Ra70 / RA80(Optional) / RA90(Optional) >90% 15°/30°/45°/60° 0.62Ft²

Others

Lifetime IP Rating Lens Material Control Method Heat Radiator Net Weight Gross Weight Fixture Dimension Carton Dimension 50000hours IP66 PC 1-10V Light Control, Intelligence Cold forging aluminum 25.6kg 28.6kg Ø462mm/18.11in L667*W533*H467mm







PACKING INCLUDING

1.1pcs LED Sports Light

2.1pcs product user manual